

● PRINTER RUSH ● (PTO ASSISTANCE)

Application : 09/839205 Examiner : Varonian GAU : 2634
From: CA Location: IDC FMF FDC Date: 335
Tracking #: 06067691 Week Date: 1-17-5

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>2/11/03</u>	RECEIVED
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

MAR 21 2002

RECEIVED

[RUSH] MESSAGE: Please provide corrected drawing for the re-clad work up of Ely 10.

[XRUSH] RESPONSE: PLEASE USE PG-PUP VERSION
2001/0033613

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04